

U.S. Department of Homeland Security

United States Coast Guard

LOCAL NOTICE TO MARINERS WEEKLY EDITION

District: 13 Week: 30/04

Boating Safety Classes or Information: 1-800-336-BOAT (2628)

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (oan)
915 Second Avenue, Seattle, Washington 98174-1067
Telephone (206) 220-7280 FAX # (206) 220-7265
Email: D13LNM@pacnorwest.uscg.mil
http://www.navcen.uscg.gov/lnm/d13/

LIGHT LIST REFERENCE: COMDTPUB P16502.6, Light List Volume VI, 2004 Edition

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS, DGPS, and LORAN-C. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website http://www.navcen.uscg.gov/gps/status/default.htm.

In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or LORAN service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone:703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at: http://www.navcen.uscg.gov.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

 Originating Unit
 Beginning BNM
 Ending BNM

 CGD THIRTEEN
 D13-0783-04
 D13-0818-04

ABBREVIATIONS

ACOE - Army Corps of Engineers ADRIFT - Buoy Adrift AICW - Atlantic Intracoastal Waterway B - Buoy BKW - Breakwater B - Refer to Light List BNM - Broadcast Notice to Mariner CG - Refer to Light List CHAN - Channel CGD - Coast Guard District CR - Refer to Light List C/O - Cut Off CONT - Contour CONSTR - Construction CRK - Creek CONST - Construction DBN - Daybeacon DBD/DAYBD - Dayboard

Characteristic DISCON - Discontinued DMGD - Daybeacon Damaged

DBN/DEST - Daybeacon Destroyed

DBN IMCH - Daybeacon Improper

EST - Established Aid **EVAL** - Evaluation EXT - Extinguished FL - Flashing F/S - Fog Signal HAZ - Hazard to Navigation HBR - Harbor HOR - Horizontal Clearance HT - Height ICW - Intracoastal Waterway IMPCHA - Improper Characteristics INL - Inlet INOP - Not Operating ISL - Islet KBG - Refer to Light List KBG-I - Refer to Light List KBR - Refer to Light List KBR-I - Refer to Light List KBW - Refer to Light List KGB - Refer to Light List KGB-I - Refer to Light List

KGW - Refer to Light List KGW - I - Refer to $\bar{\text{Light}}$ List KRB - Refer to Light List KRB-I - Refer to Light List KRG - Refer to Light List KRG-I - Refer to Light List KRW - Refer to Light List KWB - Refer to Light List KWB-I - Refer to Light List KWG - Refer to Light List KWG-I - Refer to Light List KWR - Refer to Light List KWR-I - Refer to Light List LAT - Latitude LB - Lighted Buoy LBB - Lighted Bell Buoy LHB - Lighted Horn Buoy LGB - Lighted Gong Buoy LONG - Longitude

LNM - Local Notice to Mariners LT - Light LT CONT - Light Continuous LWB - Lighted Whistle Buoy

30/04 Page 1 of 16 07/27/2004

KGR - Refer to Light List

KGR-I - Refer to Light List

MISS - Missing
MR - Refer to Light List
MR-I - Refer to Light List
N/A - Not Available
NR - Refer to Light List

N/A - Not Available
NB - Refer to Light List
N/C - Not Charted
ND - Refer to Light List
NG - Refer to Light List

NIMA - National Imagery and Mapping Agency

NL - Refer to Light List NO - Number

NOS - National Ocean Service NR - Refer to Light List NW - Refer to Light List

NW - Notice Writer NY - Refer to Light List OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
PRIV - Private Aid
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buov

REDINT - Reduced Intensity RRL - Range Rear Light RELIGHTED - Aid Relighted RELOC - Relocated

RESET ON STATION - Aid Reset on Station RFL - Range Front Light

RIV - River SEC - Section SG - Green Square on pile

SG-SY - Green Square with Yellow Square on

pile

SHL – Shoaling SND - Sound STM - Statue Mile

TEMP - Temporary Aid Change TR - Red Triangle on pile

TRLB - Temporarily Replaced by Lighted Buoy TRLT - Temporarily Replaced by Light TR-TY - Red Triangle with Yellow Triangle on

pile

TRUB - Temporarily Replaced by Unlighted

Buoy

Additional Abbreviations Specific to this LNM Edition:

LED - Light Emitting Diode LWP - Light Watching Properly

CPA - Point of Closest Approach

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

WASHINGTON - STRAIT OF JUAN DE FUCA - Puget Sound Vessel Traffic Services Measure Salmon / Halibut Fisheries

Fishing activity is being conducted in the Strait of Juan De Fuca until approximately 15 Aug 04. To ensure the saf ety of all vessels operating in this area the U.S. Coast Guard has issued a VTS Measure that directs all inbound vessels using the Traffic Scheme to divert their course when reaching 124-48W to transit south of the inbound traffic lane and follow the recommended eastbound route. Vessels will be instructed by the appropriate Traffic Center, "Tofino Traffic" or "Seattle Traffic", when to make course alterations to avoid this fishing activity, and when to return to the Traffic Separation Scheme. Vessels must contact the appropriate VTS Center via VHF/FM radio for permission to overtake other vessels while transiting through this area. For additional information, contact Vessel Traffic Services, Puget Sound at (206) 217-6051.

Charts 18480,18460 LNM: 29/04

WASHINGTON - STRAIT OF JUAN DE FUCA - Puget Sound Vessel Traffic Services Measure (33CFR161.11)

In support of the Cooperative Vessel Traffic Services (CVTS) Agreement all vessels over 300GT inbound for the U.S. via the Strait of Juan De Fuca are required to submit a 24 hour CVTS offshore advancement report. Follow the IMO Standard Ship Reporting system (Resolution A.648 (16), MSC/WP6). Submit the report using the methods below.

- Via e-mail, rmic-pacific@pac.dfo-mpo.gc.ca<mailto:rmic-pacific@pac.dfo-mpo.gc.ca>
- Via INMARSAT telex 04352586 "CGTC VAS VCR"
- Via any Canadian Coast Guard MCTS Centre, free of charge
- Or directly to CVTS Offshore by FAX: 604-666-8453

For additional information, contact Vessel Traffic Services, Puget Sound at (206) 217-6051. Chart N/A LNM: 29/04

WASHINGTON - OFF SHORE - Research Buoys

The Scripps Institution of Oceanography has deployed bottom mounted buoys within 6 fathoms of the bottom at positions 47-21-47.8N 124-45-23.2W and 47-26-53.6N 125-08-18.5W. The buoys will be recovered by 10 Oct 04 with the moors remaining on site. For additional information, contact Scripps Institution of Oceanography at (858) 534-6937.

Chart 18500 LNM: 28/04

THIRTEENTH COAST GUARD DISTRICT - 2004 Special Local Notice to Mariners

U.S. Coast Guard District 13 has Published the 2004 Special Local Notice to Mariners. The Special Local Notice to Mariners is available for down load from the web at http://www.uscg.mil/d13/oan/slnm2004.pdf or http://www.navcen.uscg.gov/lnm/d13/slnm2004.pdf. A limited number of Special Local Notice to Mariners are available for mailing by calling (206) 220-7270.

Chart N/A LNM: 27/04

WASHINGTON - PORT ANGLES - Construction

Kiewit General Construction is performing work at the east side of Nipon Paper Mill at the Port Angles Graving Docks involving a floating crane and barge from 12 Jul to 03 Sep 04. The floating crane and bargewill be moored with anchor lines and buoys with white lights attached. The floating crane will be monitoring VHF-FM Channels 14 and 16. Mariners are requested to use caution in the vicinity of the construction. For additional information, contact Kiewit General Construction at (360) 565-2718.

Chart 18468 LNM: 26/04

WASHINGTON - PUGET SOUND - Geoduck Harvesting

Geoduck harvesting will be conducted in the area of Freshwater Bay (west of Port Angles) Squamish Harbor and south of Hood Head (both on the west side of the Hood Canal Bridge) and at Lofall (on the south east side of the Hood Canal Bridge) from 22 Jun to 08 Oct 04. These operations will take place from 0800 until 1600 local, Monday through Friday, excluding state holidays. The Department of Natural Resources patrol boat will be onsite and monitoring VHF-FM Channel 8. Vessels transiting the area are requested to stay 300ft clear of divers. For additional information, contact Washington Department of Natural Resources at (360) 902-1100.

Chart 18465,18445 LNM: 26/04

30/04 Page 2 of 16 07/27/2004

COLUMBIA RIVER - WILLAMETTE RIVER - Construction

Ecology and Environment, Inc will be constructing a 25 acre sediment cap at river mile 7 of the Willamette River outside the navigational channel from 01 Jul to 31 Oct 04. Multiple barges will be in the area throughout the construction period. Mariners are requested to use caution in the vicinity of the construction. For additional information, contact Oregon Department of Environmental Quality at (503) 229-6748.

Chart 18526

LNM: 26/04

COLUMBIA RIVER - OFF SHORE - Research Buoys

The Scripps Institution of Oceanography has deployed the following research buoys. Each buoy is yellow with a flashing yellow 4 second light (FL Y 4s).

Buoy RN 46-26-14.7N, 124-18-04.8W Buoy RC 46-10-01.4N, 124-11-43.4W Buoy RN 46-03-10.7N, 124-06-01.6W

Charts 18500, 18520 LNM: 26/04

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCR	EPANCIES (FEI	DERAL AIDS)					
	LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
	8735	Coos Bay Entrance Lighted Bell Buoy 1	REDINT / 3NM TEMP LED	18587	D13-0202-04	07/04	
	10235	Pillar Rock Lower Range Front Light	IMPCHA Focal plane 12ft lower REDINT / 3NM TEMP LED	18523	D13-0732-04	28/04	
	10485	Westport Dike Light 60	REDINT / 3NM TEMP LED	18523	D13-0680-04	26/04	
	11308	Airport Bar Range Rear Light	EXT	18531	D13-0808-04	30/04	
	11455	Camas Slough Range Front Light	EXT	18531	D13-0809-04	30/04	
	11530	Washougal Lower Range Front Light	IMPCHA / MISS center DBD	18531	D13-0777-04	29/04	
	11795	Cascade Rapids Lower Range Front Light 8	EXT	18532	D13-0816-04	30/04	
	11960	Hood River Breakwater Light	EXT	18532	D13-0817-04	30/04	
	15180	Willapa Bay Entrance Buoy B	MISS	18504	D13-0744-04	28/04	
	16075	Quillayute River Approach Lighted Whistle Buoy Q	REDINT / 3NM TEMP LED	18480	D13-0883-03	30/03	
	17615	Kilisut Harbor Daybeacon 8	Structure MISS / TRUB	18441	D13-0710-03	25/03	
	19265	Bellingham Breakwater Entrance Light 2	Characteristics TEMP changed to FI R 2.5s 5NM / F/S INOP	18421	D13-0818-04	30/04	
	19935	International Boundary Range C Front Light	IMPCHA / DBD Faded and Peeling	18421	D13-1191-02	38/02	
DISCR	EPANCIES (FEI	DERAL AIDS) CORRECTED					
	LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
	8755	Coos Bay North Jetty Lighted Gong Buoy 3	LWP	18587	D13-0786-04	06/04	30/04
	8775	Coos Bay Channel Lighted Bell Buoy 5	LWP	18587	D13-0785-04	10/04	30/04
DISCR	EPANCIES (PRI	VATE AIDS)					
	LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
	9185	North Slough Channel Daybeacon 4	IMPCHA	18587	D13-0478-04	18/04	
	9190	North Slough Channel Daybeacon 8	IMPCHA	18587	D13-1144-02	36/02	
	9195	Haynes Inlet Channel Daybeacon 1	IMPCHA	18587	D13-0479-04	18/04	

	9205	Haynes Inlet Channel Daybeacon 5	IMPCHA	18587	D13-0480-04	18/04	
	9210	Haynes Inlet Channel Daybeacon 7	IMPCHA	18587	D13-0481-04	18/04	
	11498	Chinook Landing Marine Park Light 2	EXT	18531	D13-0798-04	30/04	
	12930.6	Lower Middle Channel Approach Buoy E	MISS	18542	D13-0800-04	30/04	
	12930.7	Lower Middle Channel Approach Buoy F	MISS	18542	D13-0801-04	30/04	
	12930.91	Lower Middle Channel Approach Buoy H	MISS	18542	D13-0802-04	30/04	
	12930.92	Lower Middle Channel Approach Buoy 5	MISS	18542	D13-0803-04	30/04	
	17158	Tacoma Outfall Lighted Buoy	EXT	18448	D13-0774-04	29/04	
	18017	Bainbridge Island Boat Yard Lights (2)	EXT	18441	D13-0740-04	28/04	
	19755	Pearl Island Dock Light	EXT	18421	D13-0448-04	18/04	
DISCRE	PANCIES (PRIV	/ATE AIDS) CORRECTED					
	LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
	16720	Edmonds Fishing Reef Buoys (2)	LWP	18441	D13-0815-04	26/04	30/04
	17145	Blair Waterway Lighted Buoy	DISCONT	18448	D13-N/A	18/04	30/04

SECTION III – TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No BNM Ref. LNM St LNM End				
16856	Coast Guard Pier Light North	TEMP DISCON	18449 D13-0729-03 26/03				
16857	Coast Guard Pier Light South	TEMP DISCON	18449 D13-0729-03 26/03				
TEMPORARY CI	TEMPORARY CHANGES CORRECTED						
LLNR	Aid Name	Status	Chart No BNM Ref. LNM St LNM End				
None							

SECTION IV – CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which Chart(s) are to be corrected. The following example explains the individual elements of a typical chart correction.

Chart Number	Chart Edition ₩	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction		Current Local Notice to Mariner
18427	20^{TH}ed	3/18/2000	Last LNM 25/99	NAD 83	(NOS Silver S	Spring)	40/99
Chart Tit (Temp)		ACORTES TO SK Ben Ure Island Li	KAGIT BAY - ight 2, FI R 4s, 25ft 4M		at	48°24'12.1"N	124°37'42.0"W
(↑ Corrective	Object of Corre	ection			Pos	∱ sition

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18581 17tl	ed Sep 2002	Last LNM 46/03	NAD 83	(CCGD	13)		30/04
Chart Title: OR -	Yaquina bay and R	IVER					
Reloca	e Yaquina River Li	ght 17 (44-36-23.4N 1	24-00-37.0W)	t	0	44-36-23.4N	124-00-37.7W
18583 38tl		Last LNM 41/03	NAD 83	(CCGD	13)		30/04
Add	Tabulation – Sius	law River		centered a	at	44-01-10.0N	124-06-18.0W
18584 47tl			NAD 83	(CCGD	13)		30/04
Chart Title: UMP	UA RIVER - PACIFIC	OCEAN TO REEDSP	ORT				
Chang	 Umpqua River Di 	ke Light 23 nominal ra	inge to 4NM		at	43-44-32.1N	124-07-46.5W
Chang	 Umpqua River Li 	ght 15 nominal range	to 4NM		at	43-43-26.0N	124-09-45.5W
Chang	 Smith River Light 	2 nominal range to 3f	MM		at	43-42-23.4N	124-05-10.4W
Reloca	e Smith River Light	2 (43-42-26.0N 124-0	05-09.0W)		to	43-42-23.4N	124-05-10.4W
18587 69th Chart Title: OR -	,	Last LNM 29/04	NAD 83	(CCGD	13)		30/04
Chang		ht 9 nominal range to	4NM		at	43-20-47.4N	124-19-09.0W

	OIL RIG MOVEMENT							
			Drill Rigs/Ve	essels Removed				
<u>Latitude</u> None	Longitude	Block	Rigs/Vessel	Chart	Type	<u>Status</u>		
			Drill Rigs/Ves	sels Established				
<u>Latitude</u> None	Latitude Longitude Block Rigs/Vessel Chart Type Status							

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

WaterwayProject DateRef. LNMWashington - Grays HarborAug 2004LNM: 25/04

The **daymark** on Grays Harbor Light (LLNR 720/15530) will be disestablished on or about August 2004. Grays Harbor Lighthouse and associated buildings will be transferred under the National Historic Lighthouse Preservation Act to the Westport Maritime Museum. The light itself will continue to be a federal aid to navigation.

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office Attn John Barberi (206) 220-7276 unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Waterway Closing Docket No. Ref. LNM WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA 03 Sept 2004 30/04

Navigation Aids: To accommodate a Light Emitting Diode (LED).

Rosario Strait Traffic Lane Lighted Buoy "C" (LLNR 19520). Discontinue the flashing yellow four second light (FL Y 4s) and install a 6NM yellow 2.5 second Light Emitting Diode (LED) lantern (FL Y 2.5s).

Rosario Strait Traffic Lane Separation Lighted Buoy "CA" (LLNR 19535). Discontinue the flashing yellow four second light (FL Y 4s) and install a 6NM yellow 2.5 second Light Emitting Diode (LED) lantern (FL Y 2.5s).

Strait of Juan De Fuca Traffic Lane Separation Lighted Buoy "J" (LLNR 16135/755). Discontinue the flashing yellow four second light (FL Y 4s) and install a 6NM yellow 2.5 second Light Emitting Diode (LED) lantern (FL Y 2.5s).

Strait of Juan De Fuca Traffic Lane Separation Lighted Buoy "PA" (LLNR 16222). Discontinue the flashing yellow four second light (FL Y 4s) and install a 6NM yellow 2.5 second Light Emitting Diode (LED) lantern (FL Y 2.5s).

30/04 Page 5 of 16 07/27/2004

Waterway OREGON – COOS BAY Closing 20 August 2004 Docket No.

Ref. LNM LNM: 29/04

Navigation Aids: To improve range performance.

Change Coos Bay Entrance Range Front and Rear Lights (LLNR 8740/8745) to nighttime operation. Additionally, to improve range performance, change visible 4 degrees each side of rangeline to visible 1.5 degrees each side of rangeline.

Change Coos Bay Inside Range "A" Front Light (LLNR 8785) from visible all around with higher intensity on rangeline to visible 10 degrees each side of rangeline.

Change Coos Bay Inside Range "A" Rear Light (LLNR 8790) from visible 15 degrees each side of rangeline to visible 14 degrees each side of rangeline.

Change Coos Bay Inside Range "B" Rear Light (LLNR 8810) from visible 4 degrees each side of rangeline to visible 5.5 degrees each side of rangeline.

Change Coos Bay Range "A" Rear Light (LLNR 8820) from visible 4 degrees each side of rangeline to visible 5.5 degrees each side of rangeline.

Change Empire Range "A" Front Light (LLNR 8855) and Empire Range "A" Rear Light (LLNR 8860) from visible 4 degrees each side of rangeline to visible 1.5 degrees each side of rangeline.

Change Empire Range "B" Front Light (LLNR 8865) and Empire Range "B" Rear Light (LLNR 8870) from visible 4 degrees each side of rangeline to visible 1.5 degrees each side of rangeline.

Change Jarvis Lower Range "B" Rear Light (LLNR 8930) from visible all around with higher intensity on rangeline to visible 4 degrees each side of rangeline. Additionally, change the color from white to red on Jarvis Lower Range "B" Front and Rear Lights (LLNR 8925/8930).

Change Jarvis Upper Range "A" Front and Rear Lights (LLNR 8945/8950) from visible all around with higher intensity on rangeline to visible 1.5 degrees each side of rangeline. Additionally, change the color of the range from green to red.

Change Jarvis Upper Range "B" Front and Rear Lights (LLNR 8960/8965) from visible 4 degrees each side of rangeline to visible 5.5 degrees each side of rangeline.

Change North Bend Lower Range Front and Rear Lights (LLNR 9010/9015) from visible all around with higher intensity on rangeline to visible 4 degrees each side of rangeline.

Change North Bend Range Front Light (LLNR 9020) from visible all around with higher intensity on rangeline to visible 4 degrees each side of rangeline.

Change North Bend Range Rear Light (LLNR 9025) from visible all around with higher intensity on rangeline to visible 5.5 degrees each side of rangeline.

Change North Bend Upper Range Front and Rear Lights (LLNR 9040/9045) from visible all around with higher intensity on rangeline to visible 4 degrees each side of rangeline.

Change Ferndale Upper Range Front Light (LLNR 9065) from visible all around with higher intensity on rangeline to visible 4 degrees each side of rangeline.

Change Marshfield Range Front and Rear Lights (LLNR 9075/9080) from visible all around to visible 4 degrees each side of rangeline.

Change Marshfield Channel Range Front Light (LLNR 9090) from visible all around to visible 4 degrees each side of rangeline.

Change Marshfield Channel Range Rear Light (LLNR 9095) from visible all around to visible 5.5 degrees each side of rangeline. Additionally, change the color from white to red.

Chart 18587

WaterwayClosingDocket No.Ref. LNMCOLUMBIA RIVER - CRIMS ISLAND TO VANCOUVER - Multnomah Channel20 August 2004LNM: 29/04

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Multnomah Channel Light 6 (LLNR 14840).

Chart 18524

Waterway
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Yaquina River Light 19 (LLNR 9685).

Chart 18561

30/04 Page 6 of 16 07/27/2004

Waterway
OREGON – UMPQUA RIVER

Closing 30 July 2004 Docket No.

Ref. LNM LNM: 25/04

Navigation Aids: To better mark the waterway.

Change Umpqua River Channel Daybeacon 22 (LLNR 9340) to Umpqua River Light 22 (LLNR 9340), showing a flashing red light every four seconds (FL R 4s) and triangular shaped red dayboards with a nominal range of three (3) nautical miles.

Chart 18584

Waterway
OREGON – SIUSLAW RIVER

Closing 30 July 2004 Docket No.

Ref. LNM LNM: 25/04

Navigation Aids: To better mark the waterway.

Change Siuslaw River Channel Daybeacon 14 (LLNR 9520) to Siuslaw River Channel Light 14 (LLNR 9520), showing a flashing red light every six seconds (FL R 6s) and triangular shaped red dayboards with a nominal range of four (4) nautical miles.

Chart 18583

Waterway OREGON – COOS BAY Closing 30 July 2004 Docket No.

Ref. LNM LNM: 26/04

Navigation Aids: To accommodate solarization of the range.

Change Coos Bay Entrance Range Front and Rear Lights (LLNR 8740/8745) to nighttime operation. Additionally, to improve range performance, change visible 4 degrees each side of range line to visible 1.5 degrees each side of range line.

Chart 18587

Waterway OREGON – COOS BAY Closing 30 July 2004

Docket No.

Ref. LNM LNM: 26/04

Navigation Aids: To improve range performance.

Change Coos Bay Inside Range "A" Front Light (LLNR 8785) from visible all around with higher intensity on rangeline to visible 10 degrees each side of rangeline.

Change Coos Bay Inside Range "A" Rear Light (LLNR 8790) from visible 15 degrees each side of rangeline to visible 14 degrees each side of rangeline.

Chart 18587

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

OREGON - Bridge Information

Siuslaw River

The U.S.101 Bridge at Florence need not open for the passage of vessels from 0001 local 07 Sep to 2359 local 29 Oct 04. The temporary closure is authorized for a resurfacing project on the double-leaf bascule.

Chart 18583 LNM: 20/04

OREGON - Bridge Information

Siuslaw River

The U.S.101 Bridge at Florence need not open for the passage of vessels from 0001 local 18 Oct to 2359 local 30 Nov 04. The temporary closure is authorized for a resurfacing project on the double-leaf bascule.

Chart 18583 LNM: 26/04

OREGON - Bridge Information

Coquille River

The Bullard Ferry Bridge at Coquille River mile 3.5 has been disabled and cannot open for vessel traffic until repairs are made.

Chart 18588 LNM: 12/04

OREGON - Bridge Information (Revisions of LNM 04/04)

Willamette River

The Broadway Bridge at mile 11.7 will require 24 hour notification for openings from 27 Feb to 15 Nov 04 due to operations related to painting.

Chart 18526 LNM: 09/04

30/04 Page 7 of 16 07/27/2004

OREGON - Bridge Information

Willamette River

During the following periods the Broadway Bridge at mile 11.7 need not be opened for vessels from 0600 local on the start date to 0600 local on the end date: 27-30, 31 Jul to 04 Aug, 05-08, 09-12, 13-16, 17-20, 21-24, 25-28, 29 Aug to 01 Sep, 02-05 Sep 04. From 07 Jul through 04 Sep 04, 24 hour notice must be provided for openings. These deviations from normal operations accommodate the ongoing paint and repair project on the bridge.

Chart 18526 LNM: 23/04

OREGON - Bridge Information

Willamette River

The Burnside Bridge at mile 12.4 need not open for the passage of vessels from 0700 to 1100 local on 19 Sep 04, to accommodate public events.

LNM: 14/04

OREGON - Bridge Information

Willamette River

The Morrison Bridge at mile 12.8 and the Hawthorne Bridge at mile 13.1 need not open for the passage of vessels from 05000 to 1300 local on 08 Aug 04, to accommodate the Providence Pedal public event.

Chart 18526 LNM: 28/04

OREGON - Bridge Information

Coos Bay

The Coos Bay Railroad Bridge, at mile 9.0, swing span has a mechanical failure and can only be opened by tug. Mariners should provide as much notice as possible for openings until a broken drive shaft is repaired. The bridge operator monitors VHF-FM Channel 18A when bridge is in operation. The bridge operator can also be reached at (541) 912-8691.

Chart 18587 LNM: 34/03

COLUMBIA RIVER - Bridge Information

Vancouver

The dual liftspans of the Interstate 5 dual vertical lift bridges at river mile 106.5 will be effected throughout the summer of 2004 by a major mechanical-electrical rehabilitation project. From 0630 15 Jul to 2100 local on 06 Aug 04 the draws will not open. Scheduled openings will occur, if requested, at 2100 local on 06 and 20 Aug, 03 and 17 Sep and 01 Oct 04. The draws will not return to normal operations until 2100 local on 15 Oct 04.

Charts 18524, 18526 LNM: 12/04

COLUMBIA RIVER - Bridge Information

Hood River

The Hood River White Salmon Bridge at mile 169.8 is stuck in the closed position. Charts 18532 LNM: 21/04

WASHINGTON - Bridge Information

Duwamish West Waterway

The Spokane Street Dual Swingspan at mile 0.3 – Vessel operators who need draw openings are requested to pass through a west span opening whenever safe passage through this half-opening is possible. The Coast Guard recognizes this limited operation for consenting vessels only. Cracking has been discovered in the vertical lift cylinder of the east span. The manufacture and replacement of this unique part will take months. Minimizing the load bearing of the cylinder may prevent a failure of the east span similar to the one that occurred in 2001 at the west span. Operators will continue to open both sides of the bridge to any vessel that requests a full opening.

Chart 18450 LNM: 11/02

WASHINGTON - Bridge Information

Tacoma Narrows Bridge - (Revision of LNM 31/03)

Construction – Derrick barges will be deployed at various locations around the pier locations for the new parallel bridge near the piers of the existing Tacoma Narrows Bridge. Buoys have been deployed to mark anchor cables for retrieval this summer when caissons are floated into position for the new footing excavation. These buoys are in the process of being lighted and repainted for improved visibility. Lights may be extinguished by submersion in strong currents. A free channel 1600 feet wide currently exists. Mariners should exercise caution while passing construction activity. Further updates will be included in this publication.

Charts 18448, 18474 LNM: 32/03

WASHINGTON - Bridge Information

Tacoma Narrows Bridge - (Revision of LNM 32/03)

The Coast Guard has issued a safety zone regulation until 06 Aug 04, for all waters of the Tacoma Narrows, Puget Sound, and adjoining waters of Washington state, within a 250 yard radius around each of the following coordinates: 47-15-54N 122-32-50W and 47-16-15N 122-33-16W. No vessel will be allowed to transit this area without the permission of the Coast Guard. The Coast Guard may be reached on VHF-FM Channel 16.

Charts 18448, 18474 LNM: 06/04

WASHINGTON - Bridge Information

Everett

State Route 529 Swingspan Bridge across Steamboat Slough at Everett is inoperable due to mechanical failure until further notice.

LNM: 36/03

30/04 Page 8 of 16 07/27/2004

Bridge Lighting Discrepancies:

Lights on the following bridges have been reported extinguished.						
Waterway and Mile	Bridge Name	Location	Status	Date reported	BNM	LNM
Siuslaw River Mile 8.0	CO and PRR Bridge	Acme OR	EXT	04 Jun 04	0626-04	23/04
Pend Oreille River Mile 2.0	US 95 Bridge	Sand Point ID	EXT	17 Jul 04	N/A	29/04
Pend Oreille River Mile 2.7	BNRR Bridge	Sand Point ID	EXT	13 Jul 04	N/A	29/04
Pend Oreille River Mile 111.3	Spokane International Railroad Bridge	Sand Point ID	EXT	09 Jul 04	N/A	28/04
Hylebos Waterway Mile 1.1	East 11th Street Bridge	Seattle WA	EXT	05 May 04	0489-04	19/04
Port Townsend Canal Mile 0.2	Port Townsend Canal Bridge	Port Townsend WA	EXT	04 Jun 04	0623-04	23/04

Bridge Lighting Discrepancies Corrected:

The following bridge discrepancies have been c orrected since the last Local Notice to Mariners:								
Waterway and Mile	Bridge Name	Location	Status	Date reported	BNM	LNM		
Port Orchard	Warren Ave Bridge	Bremerton WA	LWP	05 May 04	0788-04	30/04		
Port Orchard	Bremerton Manette Bridge	Bremerton WA	LWP	12 Jul 04	0789-04	30/04		

THIRTEENTH COAST GUARD DISTRICT - Request for information on the use of large-scale driftnets on the high seas

The United States Coast Guard (USCG) requests mariners be on the lookout for and report any observed driftnets or vessels engaged in driftnet fishing on the high seas (more than 200NM from shore). Sighting information may be made to any of the following Coast Guard offices:

Offices	Phone	Fax	Telex	Email
USCG Pacific Area Alameda, CA	1-800-246-7236	1-510-437-3017	230172343	OD11/Pacarea@d11.uscg.mil
	1-510-437-3701			_
USCG 14th District Honolulu, HI	1-800-331-6176	1-808-541-2123		D14ccdutyofficer@D14.uscg.mil
	1-808-541-2500			
USCG 17th District Juneau, AK	1-800-478-5555	1-907-463-2023	49615066	D17-cc@cgalaska.uscg.mil
	1-907-463-2000			

Illegal high seas driftnet (HSDN) fishing has historically been conducted in the Northwest Pacific Ocean. Mariners following great circle routes between North America and Asia are most likely to encounter this activity. Fishing activity normally takes place between 01 Apr and 31 Aug. However, illegal activity may occur in other areas and at other times of the year.

Information desired include date, time, position, description of gear/vessel, and observed activity. Video or photographs are highly desired.

HSDN Fishing Vessel Characteristics:

HSDN fishing vessels typically range from 120 to 200 feet in length and are usually in fair to poor condition. Distinguishing characteristics include: Net tube: A large, usually white tube, which extends from the working deck to the net bin located aft. This tube is about two feet in diameter, runs along the port or starboard side of the superstructure, and is clearly visible from both the surface and air.

Net bin: A structure normally located on an aft deck in which the nets are stored.

Net spreader: A triangular or roller net spreading device, which prevents the net from becoming entangled as it enters the water. While only visible from the stern, this is one characteristic, which clearly distinguishes a HSDN fishing vessel from a longline or other fishing vessel.

Transponders: The radio transponders are approximately 4-6 ft tall, are used to mark the end of a net and are normally stored in racks on the weather decks.

When the net is in the water, it is normally suspended using cylindrical floats spaced every few feet, similar to swimming pool lane markers, with the ends of the nets marked with radio transponders. Other types of floats may be used, including larger spherical floats about 2-3 ft in diameter. The driftnets may vary from a couple hundred yards to several nautical miles in length.

Chart N/A LNM: 09/0

THIRTEENTH COAST GUARD DISTRICT - Reporting suspicious activity

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the National Response Center (NRC) at (800) 424-8802. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning activity to their Local Federal Bureau of Investigation (FBI) Joint Terrorism Task Force (JTTF) Office, http://www.fbi.gov/contact/fo/fo.htm, or to other appropriate authorities. Individuals can contact the DHS Watch and Warning Unit at (202) 323-3205, toll free at (888) 585-9078, or by e-mail to nipc.watch@fbi.gov. LNM: 15/03

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoy

The Oregon Health and Science University has temporarily deployed a Lighted Research Buoy (yellow can) at approximate position 46-10-30.0N 124-07-06.0W showing a Flashing Yellow 4 seconds (FL Y 4s) light. The buoy is expected to remain in place until 31 Oct 04. For additional information, contact Oregon Health and Science University at (503) 748-4059.

Chart 18521 LNM: 23/04

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoys (Revision to LNM 18/04)

Oregon State University has deployed 13 scientific buoys from bank to bank near Jim Crow Point at river mile 29 on the Columbia River. Each buoy is a system of four 7in by 15in Styrofoam floats with attached contact information. For additional information, contact Oregon State University at (541) 737-2592. Charts 18521, 18523

LNM: 26/04

COLUMBIA RIVER - ASTORIA - Construction Projects (Revision of LNM 45/02)

Marine construction activities are scheduled near Astoria on the Oregon side of the Columbia River at the Port of Astoria's Pier III near river mile 11. This is a long-term project that is expected to last until 2005. Mariners should use caution near the 1100-foot pier, as piles may not be visible at high tide. For questions concerning the long-term Pier III project contact the Port of Astoria at (503) 325- 4521.

Chart 18521 LNM: 35/03

COLUMBIA RIVER - THE DALLES - Telemetry Barges

USGS Columbia River Research Lab deployed 20 6ft by 8ft pontoon barges, each showing flashing yellow 4 seconds (FI Y 4s) lights, located on the Oregon side, outside the shipping channel between the Dalles Dam and mile 193 on the Columbia River. An additional 28 pontoon barges were deployed in the Boat Restriction Zone (BRZ) above the Dalles Dam, each showing flashing yellow 4 seconds (FI Y 4s) lights. All the barges are to be removed prior to 31 Aug 04. For additional information, contact Columbia River Research Laboratory at (509) 538-2299 Ext 267.

Chart 18533

COLUMBIA AND SNAKE RIVERS - 2004 Summer Seasonal Lockage Schedule for Recreational Craft

The U.S. Army Corps of Engineers, Walla Walla and Portland Districts, have implemented the 2004 summer seasonal lockage schedule effective from 15 May to 15 September 04 for the passage of recreational craft through the following navigation locks:

W	alla Walla District Locks		Portland District Locks			
Navigation Lock	Location	Chart	Navigation Lock	Location	Chart	
McNary Dam	Columbia River Mi le 292	18539	Bonneville Dam	Columbia River Mile 145	18531	
Ice Harbor Dam	Snake River Mile 9.7	18545	The Dalles Dam	Columbia River Mile 191	18533	
Lower Monumental Da	m Snake River Mile 41.6	18545	John Day Dam	Columbia River Mile 216	18535	
Little Goose Dam	Snake River Mile 70.3	18546	•			
Lower Granite Dam	Snako Divor Milo 107 3	195/19				

When a recreational vessel lockage schedule is in effect, recreational vessels will only be allowed to lock through at the times designated for such lockages and they will take precedence over commercial vessels. Commercial vessels will continue to be locked through upon arrival except during the times specified for recreational vessel lockages. At the discretion of the lock operator, recreational vessels may be allowed to lock through with commercial craft. All vessel owner/operators lock through at their own risk. Follow the directions of the lock operator when using the locks or operating in the vicinity of the locks. The lock operator has the final authority on the suitability of a craft for lockage. Refer to the U.S. Army Corps of Engineers Safe Lockage Policy for Recreational Craft on the Columbia and Snake Rivers for additional safety requirements. For additional information on this matter or copies of the Safe Lockage policy, visit the following website: http://www.nwp.usace.army.mil/op/s/nl or contact the Walla Walla District at (509) 527-7115/(509) 527-7113 or the Portland District at (503) 808-4332/(503) 808-4333.

The three Portland District Locks and the five Walla Walla District Locks will use the same lockage schedule making the lockage times for the entire Columbia/Snake River system identical for recreational vessels. The following seasonal recreational craft lockage schedule will be implemented beginning 15 May 2004:

Traffic Direction	Times				
Upstream Lockages	9:00 a.m.	12:01 p.m.	3:00 p.m.	6:00 p.m.	9:00 p.m.
Downstream Lockages	9:30 a.m.	12:30 p.m.	3:30 p.m.	6:30 p.m.	9:30 p.m.

Consideration will be given for special lockages to flotillas or other unique events sponsored by yacht clubs, marinas, and other groups, provided advance (24 hours) arrangements have been made with the appropriate operations manager or their appointed representative. The following project office and operations managers should be contacted for scheduling of special lockages:

Project	Operations Managers	Phone Number	Alternate Number
Bonneville	Chief Operator on Duty	(541) 374-8323	N/A
The Dalles	Chief Operator on Duty	(541) 298-4007	N/A
John Day	Chief Operator on Duty	(541) 298-9712	N/A
McNary	Randell Ryan	(541) 922-2251	(541) 922-3214
Ice Harbor	Scott Sutliff	(509) 543-3251	(509) 547-7783
Lower Monumental	Matt Allen	(509) 282-7353	(509) 282-3218
Little Goose Project	Scott Ross	(509) 399-2233 x253	(509) 399-2233 x231
Lower Granite Project	Martin Mendiola	(509) 843-1493 x258	(509) 843-1493 x231

Chart N/A LNM: 19/04

OREGON - PORTLAND - Regional Examination Center

Effective 06 Jul 04 the Regional Examination Center, Portland OR will conduct business by appointment only due to new security procedures and workload. Appointments can be made and confirmed by calling (503) 240-9346. For additional information, contact Regional Examination Center, Portland OR at (503) 240-9346.

Chart N/A LNM: 24/04

OREGON / WASHINGTON - COASTAL REGION - Tsunami Reporting System

As part of the Pacific Tsunami Reporting System the following surface buoys have been deployed by NOAA. Each buoy is a 2.5-meter disk, red and white in color, with the w ord "TSUNAMI" on it. Each buoy has a "FL Y 4s" light.

Buoy 46404 45-51-32N, 128-46-40W Buoy 46405 42-54-10N, 130-54-32W Buoy D - 127 45-31-26N, 127-35-38W

Chart 501 LNM: 29/03

30/04 Page 10 of 16 07/27/2004

OREGON / WASHINGTON - COASTAL REGION - NOAA

NOAA buoys 46404 and 46405 have been temporarily discontinued.

Chart 501 LNM: 14/04

WASHINGTON - OFFSHORE - Research Buoys

The Olympic Coast National Marine Sanctuary will be deploying research buoys in the waters of the sanctuary from 17 May to 08 Oct 04. These buoys will be anchored in depths between 15 and 42 meters. Each buoy will consist of unlit, 16ft halibut longline, and aluminum poles with floats and red flags, each topped with a radar reflector. The locations of the buoys are:

Buoy	Latitude	Longitude	Planned depth
MB-1	48-19-30.0N	124-40-54.0W	15m
MB-2	48-19-18.0N	124-44-18.0W	42m
CA-1	48-09-54.0N	124-45-24.0W	15m
CA-2	48-09-54.0N	124-48-12.0W	42m
TH-1	47-52-30.0N	124-37-06.0W	15m
TH-2	47-50.42.0N	124-37-42.0W	31m
KL-1	47-35-54.0N	124-25-36.0W	15m
KL-2	47-35-36.0N	124-29-36.0W	27m
CE-1	47-21-19.0N	124-28-06.0W	42m

For additional information, contact Olympic Coast National Marine Sanctuary at (360) 457-6622.

Chart 18480 LNM: 19/04

WASHINGTON - ROSSARIO STRAIT - Research Buoys

NOAA has established three temporary yellow lighted research buoys showing the characteristic Flashing Yellow 6 seconds (FI Y 6s) for a period of 8 to 10 weeks on approximately 20 Jul 04.

Buoy 1 48-28-32.7N 122-42-40.2W Buoy 2 48-28-35.9N 122-52-53.2W Buoy 3 48-28-30.6N 122-42-51.9W

Chart 18421 LNM: 18/04

WASHINGTON - ELLIOTT BAY - Terminal 46 Construction (Revision to LNM 50/03)

The American Construction Company has commenced construction that includes pile driving at terminal 46 for the Port of Seattle. Pile driving work will be from 0700 to 1700 local Monday through Saturday 12 Dec 03 to the end of Aug 04. The crane DB Palouse will be moored on anchors, and crown buoys will be used to mark the anchor locations. DB Palouse will monitor VHF-FM Channel 16. All vessels are requested to minimize wake in the vicinity of construction. For additional information contact the American Construction Co at (206) 264-0701.

Chart 18449

WASHINGTON - STRAIT OF JUAN DE FUCA - PUGET SOUND - Security Zone of Passenger Vessels (Revision to LNM 06/03)

The Coast Guard is establishing a temporary moving security zone of 500 yards surrounding passenger vessels while within the waters of Puget Sound and adjacent waters. A passenger vessel is defined as any vessel over 100 feet in length (33 meters) carrying passengers for hire such as auto ferries, cruise ships, passenger ferries, and excursion vessels. All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course and shall proceed as directed by the Official Patrol or passenger vessel master. The Official Patrol will consist of a Coast Guard patrol, Federal Law Enforcement officer or a General Authority Washington Peace Officer, Limited Authority Washington Peace Officer, Specially Commissioned Washington Peace Officer, or the passenger vessel master. This order is issued under the authority of the Ports and Waterways Safety Act, Title 33, U. S. Code 1221 et. Seq., and the regulations issued thereunder, Title 33, Code of Federal Regulations Part 165.

Physical Boundaries: The following area is a security zone: All waters of Puget Sound, Washington State east of 123-30-00W [Datum: NAD 1983] within a 500 yard radius centered on passenger vessels while they are underway, anchored or moored.

Special Rules: All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course, and shall proceed as directed by the Official Patrol or the passenger vessel master. No vessels will be allowed to transit this area without the permission of the Coast Guard, the Official Patrol or the passenger vessel master. Penalties for violating the zone: The Ports and Waterways Safety Act prescribes that whoever violates an order issued under the act is liable to a civil penalty of not more than \$27,500 for each violation. Each day of continuing violation shall constitute a separate violation. If such a violation is willful, you are subject to a criminal penalty of not more that \$250,000 and/or six years imprisonment. This criminal penalty is classified as a class "D" felony under federal law. Contact the Coast Guard Marine Safety Office, Puget Sound at (206) 217-6215 or VHF-FM Channel 16 for more information.

Chart N/A LNM: 32/03

WASHINGTON - PUGET SOUND - SEATTLE TO BREMERTON - Ongoing Construction of Pier 36

During ongoing construction at Pier 36 that is expected to be completed September 2005, barges will be moored on the western face of Pier 36 sporadically. Barges will be marked with white flashing lights on the west corners and extend off the face no more than 110 ft. Mariners are requested to exercise caution in the vicinity of Pier 36.

Chart 18449 LNM: 33/03

WASHINGTON - HOOD CANAL - Submerged Buoys

Naval Undersea Warfare Center Division, Keyport installed two submerged buoys 20ft from the bottom at approximate position 47-40-49N 122-49-07W and 47-40-09N 122-49-07W. The buoys will remain moored until 31 Jul 04. Mariners are requested to use caution in the vicinity to prevent fouling of fishing gear. For additional information, contact Naval Undersea Warfare Center at (360) 396-1359.

LNM: 22/04

30/04 Page 11 of 16 07/27/2004

WASHINGTON - HOOD CANAL - Surface / Subsurface Operations

Naval Undersea Warfare Center Division, Keyport is operating an Undersea Unmanned Vehicle (UUV) in the vicinity of Oak Head at approximate position 47-40-01N 122-49-01W during day light hours until 15 Sep 04. The U.S. Navy Barge YC-1631, a small navy boat and a Dabob Range Guard Boat will be on scene. Mariners are requested to use caution in the vicinity, and may contact Navy Barge YC –1631 on VHF-FM Channel 16 or 18. For additional information, contact Navy Barge YC-1631 at (360) 265-2243.

Chart 18458 LNM: 25/04

WASHINGTON - PUGET SOUND - Acoustic Buoys

Evans-Hamilton, Inc has deployed two acoustic doppler current meters (ADCPs) in approximate positions 47-45-44.1N 122-23-56.4W and 47-46-43.4N 122-24-40.2W. The instruments are in aluminum cages resting on the sea floor with no surface expression and will remain in place until early Sep 04. For additional information, contact Evans-Hamilton, Inc at (206) 526-5622.

Chart 18441 LNM: 25/04

WASHINGTON - LAKE WASHINGTON - Lock Closure

The Hiram M. Chittenden Large Lock will be closed to all traffic, with the small lock remaining open to all vessels within size restrictions from 0001 20 Nov to 1600 local 03 Dec 04 for annual maintenance. For additional information, contact the Army Corps of Engineers at (206) 783-7000.

LNM: 22/04

WASHINGTON - STRAIT OF JUAN DE FUCA ENTRANCE - Exposed Submarine Cable (Revision of LNM 42/01)

25 segments of exposed or partially exposed cable have been identified in the Olympic Coast National Marine Sanctuary (OCNMS). The exposed cable locations are in the vicinity of Cape Flattery to 25 NM offshore. The exposed cables pose the greatest hazard to trawling and fishing vessels. Vessels that suspect their gear is snagged on the exposed cable should call Global Crossing at (800) 409-4471. The positions and lengths of exposed cable (see LNM 45/01 for detailed information available online at http://www.navcen.uscg.gov/lnm/d13) are only those identified within the OCNMS. It is likely that there are additional locations of exposed cable outside of the OCNMS. The general area of exposed cable is located within the following coordinates:

Lat/Long	Lat/Long
48-26-45.0N 125-21-18.0W	48-26-45.0N 124-38-15.0W
48-21-18.0N 125-21-18.0W	48-21-18.0N 124-38-15.0W

Chart 18480 LNM: 43/01

WASHINGTON - PUGET SOUND - DUWAMISH WATERWAY - Submerged Barge (Revision of LNM 05/03)

Six barges rather than the one barge previously reported in December 2002, have sunk in the Duwamish Waterway approximately 150 yards south of the 1st Avenue Bridge and are protruding into the west side of the channel. The owner of the partially submerged barge has marked the corner in the channel with a red float and a quick flashing red light. Attempts to salvage the barge have been unsuccessful. An announcement will appear in this publication as changes occur. Contact the Army Corps of Engineers at (206) 764-3429 for more information.

Chart 18450

LNM: 16/03

WASHINGTON - PUGET SOUND - Marine Events

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
07/27/2004	Summer Evening Tues Eve	Lake Washington	Corinthian Yacht Club
07/28/2004	Heat Way Series 2	Bellingham Bay	Bellingham Bay
07/28/2004	Summer Evening-PHRF	Meadow Pt	Corinthian Yacht Club
07/28/2004	Summer Evening Wed Eve	Lake Washington	Corinthian Yacht Club
07/28/2004	Wind Seekers Summer Eve C	Commencement Sound	Wind Seekers Yacht Club
07/29/2004	Downtown Sailing Series	Elliott Bay	Elliott Bay Marina
07/29/2004	Summer Evening-One Design	Meadow Pt	Corinthian Yacht Club
07/30/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
07/30/2004	Friday Night Log Dodge	Possession Sound	Milltown Sailing Association
07/30/2004	Race for Dinner	Shilshole Bay	Charlie's at Shilshole
07/31/2004	Moonlight Race	Lake Washington	Corinthian Yacht Club
08/01/2004	Brownsville Friday Night Series	Port Orchard	West Sound Corinthian YC
08/02/2004	Sloop Tavern Ballard Cup	Shilshole Marina	Sloop Tavern Yacht Club
08/02/2004	Ballard Cup Series 3	Shilshole Bay	Shilshole Bay Yacht Club
08/03/2004	Summer Evening Tues Eve	Lake Washington	Corinthian Yacht Club
08/03/2005	Keelboat Races	South Puget Sound	South Sound Sailing Society
08/04/2004	Fall Evening-PHRF	Meadow Pt	Corinthian Yacht Club
08/04/2004	Wind Seekers Summer Eve C	Commencement Sound	Wind Seekers Yacht Club
08/04/2004	Heat Way Series 3	Bellingham Bay	Bellingham Bay
08/04/2004	Summer Evening Wed Eve	Lake Washington	Corinthian Yacht Club
08/04/2004	Wally's Tour I	Fidalgo Bay	Anacortes Yacht V \Club
08/04/2005	Dinghy Races	South Puget Sound	South Sound Sailing Society
08/05/2004	Dow ntown Sailing Series	Elliott Bay	Elliott Bay Marina
08/05/2004	Fall Evening-One Design	Meadow Pt	Corinthian Yacht Club
08/06/2004	Useless Bay Fireworks	Useless Bay	Barghausen Consulting

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
			Engineer
08/06/2004	Race for Dinner	Shilshole Bay	Charlie's at Shilshole
08/06/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
08/07/2004	9th Annual Salmon Derby	Tacoma Narrows to Olympia	Gig Harbor Puget Sound Anglers
08/07/2004	Friday Night Log Dodge	Possession Sound	Milltown Sailing Association
08/07/2004	Saturday Open 2	Bellingham Bay	Bellingham Bay
08/07/2004	Shaw Island Classic Race	Shaw Island	San Juan Island Yacht Club
08/07/2004	9th Annual PSA Derby	Commencement Bay South to Fox Island	Puget Sound Anglers Gig Hb
08/08/2004	Fall Evening-PHRF	Meadow Pt	Corinthian Yacht Club
08/09/2004	Sloop Tavern Ballard Cup	Shilshole Marina	Sloop Tavern Yacht Club
08/09/2004	Ballard Cup Series 3	Shilshole Bay	Shilshole Bay Yacht Club
08/10/2004	Fall Evening Tues Eve	Lake Washington	Corinthian Yacht Club
08/10/2005	Keelboat Races	South Puget Sound	South Sound Sailing Society
08/11/2004	Fall Evening-PHRF	Meadow Pt	Corinthian Yacht Club
08/11/2004	Wally's Tour II	Fidalgo Bay	Anacortes Yacht V \Club
08/11/2004	Wind Seekers Summer Eve C	Commencement Sound	Wind Seekers Yacht Club
08/11/2004	Heat Way Series 4	Bellingham Bay	Bellingham Bay
08/11/2004	Fall Evening Wed Eve	Lake Washington	Corinthian Yacht Club
08/11/2005	Dinghy Races	South Puget Sound	South Sound Sailing Society
08/12/2004	Downtown Sailing Series	Elliott Bay	Elliott Bay Marina
08/12/2004	Fall Evening-One Design	Meadow Pt	Corinthian Yacht Club
08/13/2004	Race for Dinner	Shilshole Bay	Charlie's at Shilshole
08/13/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
08/14/2004	Spring to Winter Series	Des Moines Area	Three Tree Point YC
08/14/2004	Friday Night Log Dodge	Possession Sound	Milltown Sailing Association
08/14/2004	Medina Days	Lake Washington	Medina Days
08/14/2004	Commodore Gibson Race	Puget Sound	Corinthian Yacht Club
08/14/2004	W. O. W. Regatta	Bellingham Bay	Bellingham Bay
08/14/2005	Dinghy Races	South Puget Sound	South Sound Sailing Society
08/15/2004	Commodore Gibson Race	Puget Sound	Corinthian Yacht Club
08/15/2004	Brownsville Friday Night Series	Port Orchard	West Sound Corinthian YC
08/16/2004	Vashon Challenge 2004	Vashon Island	Corinthian YC of Tacoma
08/16/2004	Ballard Cup Series 3	Shilshole Bay	Shilshole Bay Yacht Club
08/16/2004	Sloop Tavern Ballard Cup	Shilshole Marina	Sloop Tavern Yacht Club
08/17/2004	Fall Evening Tues Eve	Lake Washington	Corinthian Yacht Club
08/17/2005	Keelboat Races	South Puget Sound	South Sound Sailing Society
08/18/2004	Wally's Tour III	Fidalgo Bay	Anacortes Yacht V \Club
08/18/2004	Fall Evening Wed Eve	Lake Washington	Corinthian Yacht Club
08/19/2004	Fall Evening-One Design	Meadow Pt	Corinthian Yacht Club
08/19/2004	Downtown Sailing Series	Elliott Bay	Elliott Bay Marina
08/20/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
08/21/2004	Friday Night Log Dodge	Possession Sound	Milltown Sailing Association
08/21/2004	Great Cross PS Paddling Race	Alki beach to Blakely Rock	Sound Rowers
08/22/2004	Plover Swim	Marine Drive Pier to Tongue Point	Drayton Harbor Maritime
08/22/2004	Brownsville Friday Night Series	Port Orchard	West Sound Corinthian YC
08/22/2005	Keelboat Races	South Puget Sound	South Sound Sailing Society
08/23/2004	Solo Swim	Point Roberts to Birch Bay	Whatcom County / ESAR
08/23/2004	Sloop Tavern Ballard Cup	Shilshole Marina	Sloop Tavern Yacht Club
08/23/2004	Solo Swim	Pt. Roberts to Birch Bay	Whatcom Explorer Search & Rescue
08/23/2004	Ballard Cup Series 3	Shilshole Bay	Shilshole Bay Yacht Club
08/24/2004	Fall Evening Tues Eve	Lake Washington	Corinthian Yacht Club
08/25/2004	Fall Evening-PHRF	Meadow Pt	Corinthian Yacht Club
08/25/2004	Fall Evening Wed Eve	Lake Washington	Corinthian Yacht Club
08/25/2004	Wally's Tour IV	Fidalgo Bay	Anacortes Yacht V \Club
08/25/2004	Wind Seekers Summer Eve C	Commencement Sound	Wind Seekers Yacht Club
08/25/2005	Dinghy Races	South Puget Sound	South Sound Sailing Society

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
08/26/2004	Fall Evening-One Design	Meadow Pt	Corinthian Yacht Club
08/26/2004	Downtown Sailing Series	Elliott Bay	Elliott Bay Marina
08/27/2004	Anthony's SYC Kirkland Fri	Lake Washington	Seattle Yacht Club
08/28/2004	San Juan Challenge	Cypress/Guemes Island	Anacortes Police Department
08/28/2004	San Juan Challenge	Cypress/Guemes Island	Anacortes Police Department
08/28/2004	Wind Seekers Fall #1	Commencement Sound	Wind Seekers Yacht Club
08/28/2004	Trans Puget	Puget Sound	Shilshole Bay Yacht Club
08/28/2004	Northwest Junior Olympics	Vicinity Shilshole Bay Marina	Seattle Yacht Club
08/28/2004	City of Kenmore	Lake Washington	City of Kenmore
08/28/2005	Keelboat Races	South Puget Sound	South Sound Sailing Society
08/29/2004	Northwest Junior Olympics	Vicinity Shilshole Bay Marina	Seattle Yacht Club
08/29/2004	Brownsville Friday Night Series	Port Orchard	West Sound Corinthian YC
08/31/2004	Fall Evening Tues Eve	Lake Washington	Corinthian Yacht Club

OREGON - PORTLAND - Marine Events

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
08/01/2004	Portland Challenge	Willamette River, Hawthorne Bridge	Good Luck Enterprises
08/07-08/2004	Portland Dragon Boat Races	Willamette River, Sellwood Bridge to Oaks Park	Dragon Sports USA, Inc
08/14/2004	Astoria Regatta	Offshore of Astoria, OR	Astoria Regatta Association
08/14-15/2004	North West Sessions	Wye Park, Richland, WA	North West Sessions

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height		6) ange	(7) Structure	(8) Remarks	
9170	South Slough - LIGHT 9 50 feet outside channel limit.	43 20 47 N 124 19 09 W *	FI G 4s	16	4 *	SG	on dolphin		30/04
9315	Umpqua River - LIGHT 15	43 43 26 N 124 09 47 W	FI G 4s	15	4	SG	on pile.		30/04
9285	 Winchester Bay Harbor Entrance Daybeacon 1. 	43 41 01 N 124 11 08 W				SG	on pile.		30/04
9321	- LIGHT 19	43 44 43 N 124 09 08 W	FI G 6s	15	4	SG	on pile.		30/04
9335	- LIGHT 21	43 44 55 N 124 07 54 W *	FI G 2.5s	16	4	SG	on pile structure.	Visible all around; higher intensity beam oriented up	30/04
9345	- DIKE LIGHT 23	43 44 32 N 124 07 47 W	FI G 4s	17	4	SG	on pile structure.	channel.	30/04
9350	-DIKE LIGHT 24	43 44 07 N 124 07 52 W	FIR 2.5s	16	3	TR	on dolphin.		30/04
9360	- LIGHT 26	43 43 22 N 124 07 36 W	FIR 4s	15	3	TR	on dolphin		30/04
9375	Scholfield Creek Channel Daybeacon 3	43 42 36 N 124 06 22 W				SG	on pile		30/04
9395	SMITH RIVER LIGHT 2 Siuslaw River	43 42 23 N 124 05 10 W	FIR 4s	16	3	TR	on skeleton tower.		30/04
9520	- Channel Daybeacon 14	43 59 22 N 124 07 16 W				TR	on pile.		30/04

9620	- INNER RANGE FRONT LIGHT	44 37 44 N 124 02 59 W *	QR	17		KRB on pile structure.	Visible 4° each side of rangeline.	30/04
9680	Yaquina River - LIGHT 17	44 36 23 N 124 00 38 W *	FI G 4s	15	4	SG on pile		30/04
9690	- LIGHT 20	44 35 26 N 124 01 21 W	FIR4s	15	4	TR on dolphin.		30/04
9715	- Buoy 26	44 34 49 N 124 00 11 W				Red nun.		30/04
9730	- Buoy 30	44 34 18 N 123 58 45 W				Red nun.		30/04
9735	- Daybeacon 31	44 34 22 N 123 58 06 W				SG on pile.	Ra ref.	30/04
9742	- Buoy 34	44 34 40 N 123 57 54 W				Red nun.		30/04
9750	- LIGHT 38	44 35 04 N 123 57 29 W	FIR 2.5s	22	3	TR on pile		30/04
9760	- Daybeacon 43	44 35 22 N 123 56 30 W				SG on pile.		30/04
9770	- Channel Buoy 45	44 35 36 N 123 56 15 W				Green can.		30/04

PUBLICATION CORRECTIONS

None

ENCLOSURES

Oregon - Washington - Columbia River - Dredging Operations >See Append 1< Oregon - Siuslaw River - Tabulation >See Append 2<

If you have any questions, comments, or need additional information concerning this or other LNMs or the LNM Mailing List (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

D. R. McCRIMMON, JR.
Commander, U.S. Coast Guard
Chief, Aids to Navigation & Waterways Management Branch
Thirteenth Coast Guard District
By direction of the District Commander

$\label{eq:oregon} \mbox{OREGON-WASHINGTON-COLUMBIA RIVER-Dredging Operations} \\ \mbox{Dredging operations are planned or in progress at the following locations:} \\$

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNM
19 Jul 04	15 Feb 05	0500- 1800 Mon - Fri	East Waterway	Mason Derrick	Olympic Tug, Rebel and Minnie	8 and 14 VHF-FM	Terminal 25 and Elliott Bay	28/04
16 Jul 04	Dec 04	24 hours 6 days	Blair Waterway	Vulcan	Gladys M Wollochet	13, 14 and 66 VHF-FM	Blair Waterway Slip 5 and PSSDA	28/04
16 Jul 04	30 Sep 04	24 hours 7 days	Hylebos Waterway	Patriot		14 and 69 VHF-FM	Blair Waterway Slip 1	26/04
28 Jul 04	06 Aug 04	24 hours 7 days	Skamokawa Bar River Mile 35+43+00 to 35+00+00	Oregon		13 and 16 VHF-FM	In water, O- 34.7-IW	29/04
23 Jun 04	06 Aug 04	24 hours 7 days	Coos Bay River Mile 0-40-00 to 0+25+00	Sugar Island		13 and 16 VHF-FM	Disposal Site F	29/04
23 Jul 04	03 Aug 04	24 hours 7 days	Columbia River River Mile 0+40+00 to 2+30+00	Essayons		13 and 16 VHF-FM	Disposal Site E, Deep Water Site, North Jetty Site	29/04
05 Jul 04	31 Jul 04	Daylight hours 7 days	Port Orford Boat Hoist Area			8 VHF-FM	Beach Disposal Site	27/04
20 Jul 04	28 Jul 04	24 hours 7 days	Puget Island Bar River Mile 38+45+00 to 38+10+00	Oregon		13 and 16 VHF-FM	Confined Upland, O- 38.3-UD	29/04

^{*}US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made.

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW) PROJECT DIMENSIONS LEFT MIDDLE RIGHT OUTSIDE HALF OF OUTSIDE DATE OF SURVEY (FEET) WIDTH NAME OF CHANNEL.	TABULATED FROM	SURVEYS BY 1	SIUSLAW THE CO		VGINEERS - SURVE	YS TO MAR	1 2004		ı
NAME OF CHANNEL OUTSIDE HALF OF OUTSIDE DATE OF SURVEY WIDTH INJUST. MILW	CONTROLLING DEPTHS FROM SEAW	ARD IN FEET AT	T MEAN I	LOWER LO	W WATER (MLLW)	PROJE	ECT DIMEN	SIONS	1
QUARTER CHANNEL GUARTER MILES (FEE)	NAME OF CHANNEL	OUTSIDE I			DATE OF SURVEY				1
ENTRANCE TO HIGHWAY BRIDGE 9 10 11 3-04 300-200 5.0 18-16 TURNING BASIN 10 8 7 3-04 400 0.3 16 TURNING BASIN TO CUSHMAN 8 9 8 7-98;3-04 150 2.1 12	URNING BASIN	10	8	7	3-04	400	0.3	16	1